

# Who is Eligible for a COVID-19 Pfizer Booster Dose?

- Only for those who previously received Pfizer's COVID-19 Vaccine
- Must be at least six months after having the second dose of the Pfizer Vaccine



## Groups that Should Receive a Booster:



### People aged 65 years and older

Risk of severe illness from COVID-19 increases with age



### Residents aged 18 years and older in long-term care settings

Residents live closely together with increased risk of infection and severe illness from COVID-19



### People aged 50-64 years with underlying medical conditions

Risk of severe illness from COVID-19 increases with age, and with underlying medical conditions (same conditions as below)

## Groups that May Receive a Booster:

"may" after considering individual risks and benefits



### People aged 18-49 years with underlying medical conditions

- Cancer
- Chronic kidney disease
- Chronic lung diseases
- Dementia or other neurological conditions
- Diabetes (type 1 or type 2)
- Down syndrome
- Heart conditions
- HIV infection
- Immunocompromised state
- Liver disease
- Overweight and obesity
- Pregnancy
- Sickle cell disease or thalassemia
- Smoking, current or former
- Solid-organ or blood stem cell transplant
- Stroke or cerebrovascular disease
- Substance use disorders



### People aged 18-64 years at increased risk for COVID-19 exposure and transmission due to occupational or institutional setting

#### Occupations:

- First responders (healthcare workers, firefighters, police, congregate care staff facilities)
- Education staff (teachers, support staff, daycare workers)
- Food and agriculture workers
- Manufacturing workers
- Corrections workers
- U.S. Postal Service workers
- Public transit workers
- Grocery store workers

\*CDC could update this list in the future

